

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

DATE MAILED: 08/30/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/803,022	03/18/2004	Robert R. Minner	059691-0115	5123
. 22428 75	7590 08/30/2006		EXAMINER	
FOLEY AND LARDNER LLP SUITE 500			HYLTON, ROBIN ANNETTE	
3000 K STREET NW WASHINGTON, DC 20007			ART UNIT	PAPER NUMBER
			3727	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	<u>_</u>		
Office Astion O		10/803,022	MINNER ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Robin A. Hylton	3727			
Period fo	The MAILING DATE of this communication ap or Reply	pears on the cover sheet with the c	orrespondence ad	Idress		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
2a)⊠	 Responsive to communication(s) filed on 6-26-06. This action is FINAL. 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 					
Dispositi	on of Claims					
 4) Claim(s) 1.3 and 5-8 is/are pending in the application. 4a) Of the above claim(s) 8 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1.3 and 5-7 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Applicati	on Papers					
10)⊠	The specification is objected to by the Examine The drawing(s) filed on 26 June 2006 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example.	accepted or b) objected to drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CF			
Priority u	ınder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice 3) Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P	ite	D-152)		

Application/Control Number: 10/803,022

Art Unit: 3727

DETAILED ACTION

Drawings

1. The drawings were received on June 26, 2006. These drawings are approved.

Claim Rejections - 35 USC § 103

- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 3. Claims 1,3, and 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US 4,759,342) in view of Davidson et al. (WO 90/11691).

Lee teaches a lid comprising an external surface portion and a solid post formed integrally with the surface portion. Lee is silent regarding glass material and threading on the post.

Davidson teaches it is known to provide a lid with a surface portion **16** and an integrally formed, externally threaded post (hollow) **65**. The hollowness of the post is irrelevant for the teaching of a threaded post.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the post of Lee with external threads and to form the lid of glass as taught by Davidson, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. Doing so allows for use of a known alternative material and interchanging of knob handles for decorative or other purposes, including protecting one's hand from high heat exposure of a unitary knob.

Regarding the limitation of claim 7, the lid is capable of being a cake dome since the phrase does not provide limiting structure to the claim.

Application/Control Number: 10/803,022

Art Unit: 3727

Response to Arguments

4. Applicant's arguments with respect to claims 1,3 and 5-7 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

6. Applicant is duly reminded that a complete response must satisfy the requirements of 37 C.F.R. 1.111, including: "The reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references. A general allegation that the claims "define a patentable invention" without specifically pointing out how the language of the claims patentably distinguishes them from the references does not comply with the requirements of this section. Moreover, "The prompt development of a clear Issue requires that the replies of the applicant meet the objections to and rejections of the claims." Applicant should also specifically point out the support for any amendments made to the disclosure. See MPEP 2163.06 II(A), MPEP 2163.06 and MPEP

Page 4

Application/Control Number: 10/803,022

Art Unit: 3727

714.02. The "disclosure" includes the claims, the specification and the drawings.

- 7. In order to reduce pendency and avoid potential delays, Group 3720 is encouraging FAXing of responses to Office Actions directly into the Group at (571) 273-8300. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by applicants who authorize charges to a PTO deposit account. Please identify the examiner and art unit at the top of your cover sheet. Papers submitted via FAX into Group 3720 will be promptly forwarded to the examiner.
- 8. It is called to applicant's attention that if a communication is faxed before the reply time has expired, applicant may submit the reply with a "Certificate of Facsimile" which merely asserts that the reply is being faxed on a given date. So faxed, before the period for reply has expired, the reply may be considered timely. A suggested format for a certificate follows:

	correspondence for Application Serial No Office via fax number 571-273-8300 on the d						
Typed or printed name o	Typed or printed name of person signing this certificate						
Signature							
Date							

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robin Hylton whose telephone number is (571) 272-4540. The examiner can normally be reached Monday - Friday from 9:00 a.m. to 4:00 p.m. (Eastern time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Newhouse, can be reached on (571) 272-4544.

Any inquiry of a general nature or relating to the status of this application or proceeding may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC)

Art Unit: 3727

at 866-217-9197 (toll-free).). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Other helpful telephone numbers are listed for applicant's benefit:

- Allowed Files & Publication (888) 786-0101
- Assignment Branch (800) 972-6382
- Certificates of Correction (703) 305-8309
- Fee Questions (571) 272-6400
- Inventor Assistance Center (800) PTO-9199
- Petitions/special Programs (571) 272-3282
- Information Help line 1-800-786-9199
- Internet PTO-Home Page http://www.uspto.gov

RAH August 28, 2006

> Rebin/AV Hylton Primary Examiner GAU 3727

 \Box

FIG. 1 PRIOR ART




FIG. 3




FIG. 4




FIG. 5

